



Notes:
Unless Otherwise Specified

1. MATERIALS:
1.00 SQ. ALUMINUM, 6061-T6 (rROUND CORNERS)
2. PROCESS:
 1. CUT PART PER PRINT
 2. DRILL AND MILL PART PER PRINT
 3. INSPECTION #1
 4. CLEAR ANODIZE, MIL-A-8625F C2
 5. INSPECTION #2
3. FINISH: ALUMINUM/SILVER
4. DEBURR ALL SHARP CORNERS AND EDGES

UNLESS OTHERWISE SPECIFIED:		TITLE: CBL-00 Rigging Connector Bar	
DIMENSIONS ARE IN INCHES		NEXT ASSY:	
TOLERANCES:		USED ON:	
FRACTIONAL: $\pm 1/64$		SIZE	
ANGULAR: MACH $\pm 5^\circ$		DWG. NO. 1-CBL-00	
TWO PLACE DECIMAL $\pm .03$		REV 01	
THREE PLACE DECIMAL $\pm .01$		SCALE: 1:1	
INTERPRET GEOMETRIC TOLERANCING PER:		WEIGHT: 1.66 LBS	
MATERIAL: 6061 Alloy		SHEET 1 OF 1	
FINISH:		DO NOT SCALE DRAWING	