



Notes:  
Unless Otherwise Specified

1. MATERIALS:  
1.00 SQ. ALUMINUM, 6061-T6, ROUND CORNERS
2. PROCESS:
  1. WELD ASSY PER PRINT  
USE AP ROVED WELD FIXTUR E TO CONTROL ANGLE
  2. BEVEL WELDING END,
  3. CLEAN AND DEBURR
  3. INSPECTION #1
  4. CLEAR ANODIZE, MIL-A-8625F C2
3. FINISH: CLEAR/SILVER
4. DEBURR ALL SHARP CORNERS AND EDGES

|                                      |  |                              |              |
|--------------------------------------|--|------------------------------|--------------|
| UNLESS OTHERWISE SPECIFIED:          |  |                              |              |
| DIMENSIONS ARE IN INCHES             |  |                              |              |
| TOLERANCES:                          |  |                              |              |
| FRACTIONAL ± 1/64                    |  | TITLE:                       |              |
| ANGULAR: MACH ± 5°                   |  | CBL-05 rigging Connector Bar |              |
| TWO PLACE DECIMAL ±.03               |  | NEXT ASSY:                   |              |
| THREE PLACE DECIMAL ±.01             |  | USED ON:                     |              |
| INTERPRET GEOMETRIC TOLERANCING PER: |  | SIZE                         | DWG. NO.     |
| MATERIAL                             |  | <b>B</b>                     | 1-CBL-05     |
| FINISH                               |  | SCALE: 1:1                   | REV 01       |
| DO NOT SCALE DRAWING                 |  | WEIGHT: 1.49 LBS             | SHEET 1 OF 1 |